

Major Indicators	CNS Depressant	CNS Stimulant	Hallucinogen	Dissociative Anesthetic	Narcotic Analgesic	Inhalant	Cannabis
HGN	PRESENT	NONE	NONE	PRESENT	NONE	PRESENT	NONE
VGN	PRESENT * High Dose	NONE	NONE	PRESENT	NONE	PRESENT * High Dose	NONE
Lack Of Convergence	PRESENT	NONE	NONE	PRESENT	NONE	PRESENT	PRESENT
Pupil Size	NORMAL (1)	DILATED	DILATED	NORMAL	CONSTRICTED	NORMAL (4)	DILATED (6)
Reaction to Light	SLOW	SLOW	NORMAL (3)	NORMAL	LITTLE OR NONE	SLOW	NORMAL
Pulse Rate	DOWN (2)	UP	UP	UP	DOWN	UP	UP
Blood Pressure	DOWN	UP	UP	UP	DOWN	UP/DOWN (5)	UP
Body Temperature	NORMAL	UP	UP	UP (PCP)	DOWN	UP/DOWN/ NORMAL	NORMAL
Muscle Tone	FLACCID	RIGID	RIGID	RIGID	FLACCID	FLACCID	NORMAL
General Indicators	UNCOORDINATED DISORIENTED SLUGGISH THICK SLURRED SPEECH DRUNK-LIKE BEHAVIOR DROWSINESS DROOPY EYES FUMBLING GAIT ATAXIA	RESTLESSNESS BODY TREMORS EYELID TREMORS EXCITED EUPHORIC TALKATIVE EXAGGERATED REFLEXES ANXIETY GRINDING TEETH (BRUXISM) REDNESS TO NASAL AREA RUNNY NOSE LOSS OF APPETITE INSOMNIA INCREASED ALERTNESS DRY MOUTH IRRITABILITY	DAZED APPEARANCE BODY TREMORS SYNESTHESIA HALLUCINATIONS PARANOIA UNCOORDINATED NAUSEA DISORIENTED PERSPIRING POOR PERCEPTION OF TIME & DISTANCE MEMORY LOSS DISORIENTATION FLASHBACKS PILORECTION MAY BE OBSERVED (GOOSE BUMPS, HAIR STANDING ON END)	PERSPIRING WARM TO TOUCH BLANK STARE VERY EARLY ANGLE OF ONSET INCOHERENT INCOMPLETE VERBAL RESPONSES REPETITIVE SPEECH INCREASED PAIN THRESHOLD CONFUSED AGITATED HALLUCINATIONS POSSIBLY VIOLENT & COMBATIVE CHEMICAL ODOR "MOON WALKING"	DROOPY EYELIDS-(PTOSIS) ON THE NOD DROWSINESS DEPRESSED REFLEXES LOW, RASPY, SLOW SPEECH DRY MOUTH FACIAL ITCHING EUPHORIA FRESH PUNCTURE MARKS NAUSEA TRACK MARKS FRESH EARLY LATE (HIPPIUS- RHYTHMIC PULSATING OF PUPILS AS THEY DILATE AND CONTRICT)	RESIDUE OF SUBSTANCE AROUND NOSE & MOUTH ODOR OF SUBSTANCE NAUSEA SLURRED SPEECH DISORIENTATED CONFUSION BLOODSHOT. WATERY EYES LACK OF MUSCLE CONTROL FLUSHED FACE INCOHERENT INTENSE HEADACHES	MARKED REDDENING OF CONJUNCTIVA ODOR OF MARIJUANA MARIJUANA DEBRIS IN MOUTH BODY TREMORS EYELID TREMORS RELAXED INHIBITIONS INCREASED APPETITE IMPAIRED PERCEPTION OF TIME & DISTANCE DISORIENTATED POSSIBLE PARANOIA (REBOUND - PUPILS PULSATE IN SIZE. GROWING LARGER ON EXPANSION PULSATIONS)
Updated 12/15							
Duration of Effects	BARBITURATES: 1-16 HOURS TRANQUILIZERS: 4-8 HOURS	COCAINE: 5-90 MINUTES AMPHETAMINES: 4-8 HOURS METHAMPHETAMINE 12 HOURS	DURATIONS VARIES WIDELY FROM ONE HALLUCINOGEN TO ANOTHER	ONSET: 1-5 MINUTES PEAK EFFECTS: 15-30 MINUTES EXHIBITS EFFECTS UP TO 4-6 HOURS	HEROIN: 4-6 HOURS METHADONE UP TO 24 HOURS OTHERS: VARY	6-8 HOURS FOR MOST VOLATILE SOLVENTS ANESTHETIC GASES AND AEROSOLS VERY SHORT DURATION	2-3 HOURS EXHIBITS EFFECTS 3-6 HOURS FEEL NORMAL

FOOTNOTES:

1. SOMA, QUAALUDES AND SOME ANTI-DEPRESSANTS USUALLY DILATE PUPILS
2. QUAALUDES, ETOH, AND POSSIBLY SOME ANTI-DEPRESSANTS MAY ELEVATE
3. CERTAIN PSYCHEDELIC AMPHETAMINES MAY CAUSE SLOWING
4. NORMAL BUT MAY BE DILATED
5. DOWN WITH ANESTHETIC GASES, UP WITH VOLATILE SOLVENTS AND AEROSOLS
6. PUPIL SIZE POSSIBLY NORMAL

AVERAGE RANGES:

PULSE: 60-90 BPM
PUPIL SIZES:
ROOM LIGHT: 2.5 - 5.0
NEAR TOTAL DARKNESS: 5.0 - 8.5
DIRECT LIGHT: 2.0 - 4.5
BLOOD PRESSURE: 120 - 140 / 70 - 90
BODY TEMP: 98.6 +/- 1 degree